



京鴻檢驗科技股份有限公司
http://www.jhet.com.tw
Email:jh.lab@msa.hinet.net
Tel:05-5990970~72 Fax:05-5985199
Address:雲林縣二崙鄉尖厝崙170號

十方光電科技有限公司

燈具名稱: LED軌道燈

燈具描述: R08-C11WN/BN

報告編號: 18-0555-20

測試編號: 18-0555-20

光源規格型號: LED 8W

每個光源光通量(lm)

光源數量: 1

發光面長度(mm): 50

測試模式: C

電壓(V): 220.0300

電流(A): 0.0910

功率(W): 7.3930

功率因數: 0.3680

鎮流器型號: Ten Lighting/JY-LCP-826S-180

發光面寬度(mm): 50

發光面高度(mm): 56

光度結果

燈具光通量(lm): 482.53

燈具效能(lm/w): 65.27

中心光強(cd): 807.618

最大光強(cd): 807.618

最大光強角度: C=0.0 γ =0.0

半峰邊角(50%Imax): [C0/180]Left=20.0 Right=17.3

[C90/270]Left=18.3 Right=20.6

光束擴散角(10%Imax): [C0/180]Left=38.6 Right=36.7

[C90/270]Left=37.3 Right=39.1

測試設備: GMS-2000
環境溫度(°C): 24.6

測試日期: 2020/4/17
環境濕度(%): 58.0%

測試人員: 廖苡汎
測試距離(m): 20.03



| γ(°) | 平均光強(cd) | 環帶光通(lm) | 累積光通(lm) | 有效光通(%) | 有效累計(%) |
|------|----------|----------|----------|---------|----------|
| 0.0 | 807.617 | .000 | .000 | .000% | .000% |
| 5.0 | 760.683 | 18.749 | 18.749 | 3.885% | 3.885% |
| 10.0 | 644.680 | 50.274 | 69.023 | 10.419% | 14.304% |
| 15.0 | 507.140 | 68.325 | 137.348 | 14.160% | 28.464% |
| 20.0 | 384.367 | 73.473 | 210.821 | 15.227% | 43.691% |
| 25.0 | 279.403 | 69.617 | 280.438 | 14.428% | 58.119% |
| 30.0 | 188.665 | 59.234 | 339.672 | 12.276% | 70.394% |
| 35.0 | 115.284 | 44.759 | 384.431 | 9.276% | 79.670% |
| 40.0 | 67.012 | 30.415 | 414.846 | 6.303% | 85.973% |
| 45.0 | 40.232 | 19.857 | 434.703 | 4.115% | 90.089% |
| 50.0 | 27.415 | 13.669 | 448.372 | 2.833% | 92.922% |
| 55.0 | 19.737 | 10.252 | 458.624 | 2.125% | 95.046% |
| 60.0 | 14.020 | 7.803 | 466.427 | 1.617% | 96.663% |
| 65.0 | 10.024 | 5.845 | 472.272 | 1.211% | 97.875% |
| 70.0 | 7.038 | 4.320 | 476.592 | .895% | 98.770% |
| 75.0 | 4.391 | 2.987 | 479.580 | .619% | 99.389% |
| 80.0 | 2.290 | 1.788 | 481.367 | .370% | 99.760% |
| 85.0 | .931 | .875 | 482.242 | .181% | 99.941% |
| 90.0 | .111 | .285 | 482.528 | .059% | 100.000% |

ZONAL LUMEN SUMMARY


| Zone | Lumens | %Fixt |
|---------|--------|---------|
| 0-30 | 339.67 | 70.39% |
| 0-40 | 414.85 | 85.97% |
| 0-60 | 466.43 | 96.66% |
| 0-90 | 482.24 | 99.94% |
| 0-120 | 482.24 | 99.94% |
| 0-180 | 482.53 | 100.00% |
| 60-90 | 23.62 | 4.89% |
| 90-120 | 0.00 | 0.00% |
| 90-130 | 0.00 | 0.00% |
| 90-150 | 0.00 | 0.00% |
| 90-180 | 0.00 | 0.00% |
| 0-35.26 | 386.02 | 80.00% |

ZONAL LUMEN SUMMARY


| | |
|---------|--------|
| 0-10 | 69.02 |
| 10-20 | 141.80 |
| 20-30 | 128.85 |
| 30-40 | 75.17 |
| 40-50 | 33.53 |
| 50-60 | 18.06 |
| 60-70 | 10.17 |
| 70-80 | 4.77 |
| 80-90 | 0.88 |
| 90-100 | 0.00 |
| 100-110 | 0.00 |
| 110-120 | 0.00 |
| 120-130 | 0.00 |
| 130-140 | 0.00 |
| 140-150 | 0.00 |
| 150-160 | 0.00 |
| 160-170 | 0.00 |
| 170-180 | 0.00 |



C0/C180: —
C90/C270: —



Max , Ave C0面光束角38.17



- (10%Emax) 2.243378
- (20%Emax) 4.48675
- (30%Emax) 6.730139
- (40%Emax) 8.973499
- (50%Emax) 11.21689
- (60%Emax) 13.46028
- (70%Emax) 15.70364
- (80%Emax) 17.94703
- (90%Emax) 20.19039

光強數據表(cd)

| C/γ(°) | 0.0 | 5.0 | 10.0 | 15.0 | 20.0 | 25.0 | 30.0 | 35.0 | 40.0 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| 0.0 | 807.62 | 735.00 | 602.20 | 457.77 | 338.21 | 238.31 | 153.66 | 93.08 | 56.17 |
| 5.0 | 807.62 | 734.60 | 605.81 | 462.99 | 340.62 | 241.92 | 156.47 | 95.49 | 56.97 |
| 10.0 | 807.62 | 734.20 | 607.02 | 465.79 | 346.64 | 245.13 | 160.88 | 98.29 | 58.58 |
| 15.0 | 807.62 | 738.61 | 612.63 | 469.00 | 353.06 | 251.15 | 166.10 | 103.11 | 60.18 |
| 20.0 | 807.62 | 738.21 | 614.64 | 475.42 | 357.87 | 255.97 | 171.71 | 108.32 | 62.59 |
| 25.0 | 807.62 | 743.43 | 617.85 | 481.84 | 364.29 | 263.19 | 180.54 | 114.34 | 65.40 |
| 30.0 | 807.62 | 747.84 | 622.66 | 490.27 | 370.31 | 272.01 | 187.76 | 118.76 | 67.80 |
| 35.0 | 807.62 | 747.84 | 627.88 | 495.48 | 377.13 | 276.83 | 190.57 | 122.37 | 69.41 |
| 40.0 | 807.62 | 752.65 | 630.29 | 501.90 | 382.34 | 282.04 | 194.58 | 124.77 | 71.41 |
| 45.0 | 807.62 | 753.46 | 635.10 | 506.32 | 387.56 | 285.25 | 195.79 | 125.98 | 72.62 |
| 50.0 | 807.62 | 757.87 | 637.11 | 512.33 | 392.78 | 288.46 | 197.79 | 125.17 | 72.22 |
| 55.0 | 807.62 | 755.46 | 640.32 | 517.15 | 399.19 | 290.07 | 196.59 | 123.17 | 70.61 |
| 60.0 | 807.62 | 757.47 | 643.93 | 520.76 | 402.81 | 292.07 | 194.58 | 119.16 | 70.21 |
| 65.0 | 807.62 | 758.27 | 643.53 | 523.17 | 403.61 | 292.07 | 194.58 | 116.75 | 69.01 |
| 70.0 | 807.62 | 758.67 | 645.93 | 526.38 | 405.61 | 294.88 | 195.79 | 117.15 | 68.61 |
| 75.0 | 807.62 | 758.67 | 647.94 | 529.59 | 408.82 | 296.49 | 198.59 | 117.95 | 69.01 |
| 80.0 | 807.62 | 759.87 | 650.75 | 534.00 | 411.23 | 298.49 | 199.80 | 119.56 | 69.41 |
| 85.0 | 807.62 | 760.68 | 653.56 | 535.20 | 412.43 | 302.10 | 201.80 | 120.76 | 70.21 |
| 90.0 | 807.62 | 761.48 | 655.56 | 537.21 | 416.05 | 305.31 | 203.81 | 121.97 | 71.81 |
| 95.0 | 807.62 | 761.48 | 655.56 | 538.81 | 416.05 | 308.52 | 206.62 | 125.17 | 73.42 |
| 100.0 | 807.62 | 761.08 | 657.57 | 540.82 | 419.25 | 309.73 | 210.63 | 129.59 | 75.83 |
| 105.0 | 807.62 | 761.88 | 658.77 | 541.22 | 420.46 | 314.94 | 213.04 | 134.40 | 78.64 |
| 110.0 | 807.62 | 762.28 | 658.77 | 544.03 | 424.47 | 316.55 | 217.05 | 139.22 | 80.64 |
| 115.0 | 807.62 | 765.49 | 661.98 | 544.43 | 422.87 | 316.55 | 219.86 | 142.03 | 82.25 |
| 120.0 | 807.62 | 766.70 | 662.38 | 542.42 | 421.26 | 317.75 | 221.86 | 143.23 | 82.65 |
| 125.0 | 807.62 | 769.50 | 666.39 | 542.02 | 423.67 | 317.35 | 221.46 | 143.23 | 84.25 |
| 130.0 | 807.62 | 769.90 | 666.80 | 542.42 | 421.26 | 316.15 | 220.26 | 142.83 | 83.85 |
| 135.0 | 807.62 | 772.31 | 671.21 | 542.82 | 418.85 | 314.14 | 217.45 | 140.02 | 81.84 |
| 140.0 | 807.62 | 775.12 | 672.41 | 541.62 | 417.25 | 310.53 | 213.04 | 134.80 | 79.04 |
| 145.0 | 807.62 | 775.12 | 672.41 | 542.42 | 414.44 | 308.12 | 209.03 | 129.59 | 75.83 |
| 150.0 | 807.62 | 777.13 | 674.42 | 542.82 | 412.03 | 304.11 | 205.01 | 125.17 | 73.42 |
| 155.0 | 807.62 | 777.53 | 675.22 | 539.62 | 406.82 | 300.10 | 203.01 | 121.56 | 71.01 |
| 160.0 | 807.62 | 781.94 | 679.23 | 536.81 | 405.21 | 298.49 | 200.20 | 119.56 | 69.41 |
| 165.0 | 807.62 | 784.75 | 680.44 | 538.81 | 406.02 | 296.49 | 197.39 | 117.15 | 67.80 |
| 170.0 | 807.62 | 784.75 | 678.83 | 534.80 | 405.21 | 295.28 | 196.59 | 115.14 | 66.60 |
| 175.0 | 807.62 | 784.35 | 676.83 | 535.20 | 404.01 | 293.68 | 195.38 | 113.94 | 66.60 |
| 180.0 | 807.62 | 787.56 | 676.42 | 533.20 | 404.81 | 292.88 | 194.58 | 114.74 | 67.00 |
| 185.0 | 807.62 | 785.55 | 681.64 | 534.80 | 404.81 | 294.88 | 195.79 | 116.35 | 68.20 |
| 190.0 | 807.62 | 788.36 | 683.25 | 534.80 | 405.61 | 295.69 | 197.39 | 120.36 | 69.81 |
| 195.0 | 807.62 | 789.96 | 683.25 | 533.20 | 406.42 | 297.69 | 199.80 | 124.37 | 71.81 |
| 200.0 | 807.62 | 791.17 | 682.84 | 534.80 | 406.42 | 297.69 | 202.21 | 126.38 | 73.02 |
| 205.0 | 807.62 | 789.56 | 681.64 | 535.60 | 408.42 | 298.09 | 203.41 | 128.38 | 74.62 |
| 210.0 | 807.62 | 792.77 | 681.64 | 532.79 | 405.61 | 297.29 | 203.41 | 129.99 | 74.62 |
| 215.0 | 807.62 | 789.96 | 678.43 | 530.79 | 408.02 | 296.49 | 204.21 | 129.59 | 74.22 |
| 220.0 | 807.62 | 785.95 | 679.63 | 530.39 | 404.41 | 295.69 | 201.40 | 127.98 | 73.02 |
| 225.0 | 807.62 | 779.93 | 672.41 | 525.97 | 402.00 | 292.07 | 197.39 | 123.17 | 71.41 |
| 230.0 | 807.62 | 775.92 | 668.40 | 522.36 | 399.19 | 286.86 | 192.58 | 117.95 | 69.41 |
| 235.0 | 807.62 | 773.92 | 663.99 | 521.16 | 393.58 | 280.44 | 185.76 | 112.74 | 66.60 |
| 240.0 | 807.62 | 771.11 | 658.77 | 515.94 | 385.15 | 275.63 | 180.14 | 108.73 | 64.59 |
| 245.0 | 807.62 | 769.90 | 656.77 | 511.13 | 381.94 | 271.21 | 176.93 | 105.52 | 62.59 |
| 250.0 | 807.62 | 767.10 | 650.35 | 503.91 | 373.92 | 265.60 | 174.92 | 103.91 | 60.98 |
| 255.0 | 807.62 | 762.68 | 641.12 | 497.89 | 370.31 | 261.18 | 173.32 | 102.31 | 59.38 |
| 260.0 | 807.62 | 757.07 | 638.31 | 492.67 | 367.10 | 257.97 | 173.32 | 99.50 | 58.98 |
| 265.0 | 807.62 | 752.65 | 630.69 | 487.86 | 363.49 | 256.77 | 170.51 | 98.29 | 59.38 |
| 270.0 | 807.62 | 749.04 | 630.29 | 483.45 | 361.08 | 254.76 | 169.31 | 99.10 | 59.78 |
| 275.0 | 807.62 | 746.23 | 627.88 | 480.64 | 356.67 | 253.16 | 172.12 | 101.10 | 59.78 |
| 280.0 | 807.62 | 746.63 | 624.67 | 477.83 | 356.27 | 254.76 | 175.73 | 102.31 | 58.98 |
| 285.0 | 807.62 | 747.04 | 624.27 | 476.23 | 357.07 | 256.37 | 179.34 | 105.11 | 58.17 |

光強數據表(cd)

| C/γ(°) | 0.0 | 5.0 | 10.0 | 15.0 | 20.0 | 25.0 | 30.0 | 35.0 | 40.0 |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| 290.0 | 807.62 | 747.84 | 622.66 | 476.63 | 355.87 | 258.37 | 181.34 | 105.52 | 58.58 |
| 295.0 | 807.62 | 748.64 | 623.87 | 474.62 | 355.06 | 258.37 | 181.74 | 105.11 | 58.17 |
| 300.0 | 807.62 | 748.64 | 619.45 | 473.42 | 355.46 | 257.57 | 180.94 | 105.11 | 58.17 |
| 305.0 | 807.62 | 748.64 | 617.05 | 469.81 | 353.06 | 257.57 | 179.34 | 105.11 | 58.17 |
| 310.0 | 807.62 | 744.63 | 613.84 | 466.60 | 350.65 | 255.57 | 177.33 | 106.32 | 58.58 |
| 315.0 | 807.62 | 743.83 | 611.03 | 463.39 | 347.44 | 253.96 | 175.32 | 105.92 | 58.58 |
| 320.0 | 807.62 | 740.62 | 610.63 | 462.99 | 347.04 | 250.35 | 171.31 | 104.71 | 58.58 |
| 325.0 | 807.62 | 740.22 | 607.42 | 459.78 | 343.43 | 247.94 | 168.10 | 101.10 | 58.17 |
| 330.0 | 807.62 | 740.22 | 608.22 | 458.97 | 339.01 | 244.73 | 162.49 | 97.89 | 57.37 |
| 335.0 | 807.62 | 736.60 | 604.21 | 457.77 | 337.81 | 241.12 | 157.27 | 94.68 | 56.57 |
| 340.0 | 807.62 | 737.01 | 601.40 | 456.17 | 335.00 | 239.12 | 154.86 | 92.68 | 56.17 |
| 345.0 | 807.62 | 736.60 | 597.39 | 453.36 | 334.60 | 236.71 | 154.46 | 92.28 | 55.37 |
| 350.0 | 807.62 | 734.20 | 598.19 | 453.76 | 334.20 | 235.50 | 153.66 | 91.47 | 55.37 |
| 355.0 | 807.62 | 735.80 | 601.00 | 455.76 | 333.80 | 236.71 | 152.86 | 91.88 | 55.37 |
| 360.0 | 807.62 | 735.00 | 602.20 | 457.77 | 338.21 | 238.31 | 153.66 | 93.08 | 56.17 |

光強數據表(cd)

| C/γ(°) | 45.0 | 50.0 | 55.0 | 60.0 | 65.0 | 70.0 | 75.0 | 80.0 | 85.0 |
|--------|-------|-------|-------|-------|-------|------|------|------|------|
| 0.0 | 35.31 | 25.28 | 18.46 | 12.84 | 9.63 | 6.82 | 4.01 | 2.01 | 0.80 |
| 5.0 | 35.71 | 25.28 | 18.46 | 13.24 | 9.63 | 6.82 | 4.01 | 2.01 | 0.80 |
| 10.0 | 36.11 | 25.28 | 18.46 | 13.24 | 10.03 | 7.22 | 4.41 | 2.01 | 0.80 |
| 15.0 | 36.91 | 25.68 | 18.46 | 13.64 | 10.03 | 7.22 | 4.41 | 2.41 | 0.80 |
| 20.0 | 37.71 | 26.08 | 18.86 | 13.64 | 10.43 | 7.22 | 4.41 | 2.41 | 0.80 |
| 25.0 | 38.52 | 26.48 | 18.86 | 14.04 | 10.43 | 7.62 | 4.41 | 2.41 | 0.80 |
| 30.0 | 39.72 | 26.88 | 19.26 | 14.04 | 10.43 | 7.62 | 4.41 | 2.41 | 0.80 |
| 35.0 | 40.52 | 27.28 | 19.66 | 14.44 | 10.83 | 7.62 | 4.41 | 2.41 | 0.80 |
| 40.0 | 40.92 | 27.28 | 19.66 | 14.44 | 10.83 | 7.62 | 4.41 | 2.41 | 0.80 |
| 45.0 | 41.32 | 27.28 | 19.66 | 14.44 | 10.83 | 7.62 | 4.41 | 2.01 | 0.80 |
| 50.0 | 41.72 | 27.28 | 19.66 | 14.44 | 10.43 | 7.22 | 4.41 | 2.01 | 0.80 |
| 55.0 | 41.32 | 27.28 | 19.66 | 14.44 | 10.43 | 7.22 | 4.41 | 2.01 | 0.80 |
| 60.0 | 41.32 | 27.28 | 20.06 | 14.44 | 10.83 | 7.22 | 4.41 | 2.01 | 0.80 |
| 65.0 | 41.32 | 27.28 | 20.06 | 14.84 | 10.83 | 7.22 | 4.41 | 2.01 | 0.80 |
| 70.0 | 41.72 | 27.68 | 20.46 | 14.84 | 10.83 | 7.22 | 4.41 | 2.41 | 0.80 |
| 75.0 | 41.72 | 28.08 | 20.46 | 14.84 | 10.83 | 7.22 | 4.41 | 2.41 | 0.80 |
| 80.0 | 42.13 | 28.08 | 20.86 | 15.25 | 10.83 | 7.62 | 4.41 | 2.41 | 0.80 |
| 85.0 | 42.93 | 28.49 | 21.26 | 15.25 | 10.83 | 7.62 | 4.41 | 2.41 | 0.80 |
| 90.0 | 43.33 | 28.89 | 21.66 | 15.65 | 11.23 | 7.62 | 4.41 | 2.41 | 0.80 |
| 95.0 | 43.73 | 29.29 | 21.66 | 15.65 | 11.23 | 7.62 | 4.41 | 2.41 | 0.80 |
| 100.0 | 44.93 | 29.29 | 21.66 | 15.65 | 11.23 | 7.62 | 4.81 | 2.41 | 0.80 |
| 105.0 | 45.34 | 30.09 | 22.07 | 16.05 | 11.23 | 7.62 | 4.81 | 2.41 | 0.80 |
| 110.0 | 46.54 | 30.49 | 22.47 | 16.45 | 11.23 | 8.02 | 4.81 | 2.41 | 0.80 |
| 115.0 | 46.94 | 30.89 | 22.87 | 16.45 | 11.23 | 8.02 | 4.81 | 2.41 | 0.80 |
| 120.0 | 47.74 | 30.89 | 22.87 | 16.45 | 11.63 | 8.02 | 4.81 | 2.41 | 0.80 |
| 125.0 | 47.74 | 31.29 | 22.87 | 16.45 | 11.63 | 8.02 | 4.81 | 2.41 | 0.80 |
| 130.0 | 47.74 | 31.29 | 22.87 | 16.45 | 11.63 | 8.02 | 4.81 | 2.41 | 0.80 |
| 135.0 | 46.94 | 30.89 | 22.87 | 16.05 | 11.23 | 8.02 | 4.81 | 2.41 | 0.80 |
| 140.0 | 46.54 | 30.49 | 22.47 | 16.05 | 11.23 | 8.02 | 4.81 | 2.41 | 0.80 |
| 145.0 | 45.34 | 30.49 | 22.47 | 16.05 | 11.23 | 7.62 | 4.81 | 2.41 | 0.80 |
| 150.0 | 44.53 | 29.69 | 22.07 | 15.65 | 11.23 | 7.62 | 4.81 | 2.41 | 1.20 |
| 155.0 | 43.33 | 29.29 | 22.07 | 15.65 | 11.23 | 7.62 | 4.81 | 2.41 | 1.20 |
| 160.0 | 42.53 | 29.29 | 21.66 | 15.65 | 10.83 | 7.62 | 4.81 | 2.41 | 1.20 |
| 165.0 | 42.13 | 28.89 | 21.26 | 15.65 | 10.83 | 7.62 | 5.22 | 2.41 | 1.20 |
| 170.0 | 41.72 | 28.89 | 21.26 | 15.25 | 10.83 | 7.62 | 5.22 | 2.81 | 1.20 |
| 175.0 | 41.32 | 28.89 | 21.26 | 15.25 | 10.43 | 7.62 | 5.22 | 2.81 | 1.20 |
| 180.0 | 41.32 | 28.89 | 21.26 | 15.25 | 10.43 | 7.62 | 5.22 | 2.81 | 1.20 |
| 185.0 | 41.72 | 28.89 | 21.26 | 15.25 | 10.43 | 7.62 | 5.22 | 2.81 | 1.20 |
| 190.0 | 42.13 | 29.29 | 20.86 | 15.25 | 10.43 | 7.62 | 5.22 | 2.81 | 1.20 |
| 195.0 | 42.53 | 29.29 | 20.86 | 15.25 | 10.43 | 7.62 | 5.22 | 2.81 | 1.20 |
| 200.0 | 42.93 | 29.29 | 20.86 | 15.25 | 10.43 | 7.62 | 5.22 | 2.81 | 1.60 |
| 205.0 | 43.33 | 29.69 | 20.86 | 14.84 | 10.43 | 7.62 | 5.22 | 2.81 | 1.60 |
| 210.0 | 43.73 | 29.69 | 20.86 | 14.84 | 10.43 | 7.62 | 5.22 | 2.81 | 1.60 |
| 215.0 | 43.33 | 29.69 | 20.86 | 14.44 | 10.03 | 7.22 | 4.81 | 2.81 | 1.20 |
| 220.0 | 43.33 | 29.29 | 20.86 | 14.44 | 10.03 | 7.22 | 4.81 | 2.81 | 1.20 |
| 225.0 | 42.93 | 29.29 | 20.46 | 14.04 | 9.63 | 6.82 | 4.81 | 2.41 | 1.20 |
| 230.0 | 42.13 | 28.89 | 20.06 | 13.64 | 9.63 | 6.82 | 4.41 | 2.41 | 1.20 |
| 235.0 | 40.92 | 28.89 | 19.26 | 13.24 | 9.23 | 6.42 | 4.41 | 2.41 | 1.20 |
| 240.0 | 39.72 | 28.08 | 18.86 | 13.24 | 9.23 | 6.42 | 4.01 | 2.01 | 1.20 |
| 245.0 | 38.92 | 26.88 | 18.46 | 12.84 | 8.83 | 6.42 | 4.01 | 2.01 | 1.20 |
| 250.0 | 38.52 | 26.08 | 18.05 | 12.44 | 8.83 | 6.42 | 4.01 | 2.01 | 0.80 |
| 255.0 | 38.11 | 25.28 | 17.65 | 12.04 | 8.83 | 6.02 | 4.01 | 2.01 | 0.80 |
| 260.0 | 37.71 | 24.47 | 17.65 | 12.04 | 8.83 | 6.02 | 3.61 | 2.01 | 0.80 |
| 265.0 | 36.91 | 24.47 | 17.25 | 11.63 | 8.83 | 6.02 | 3.61 | 2.01 | 0.80 |
| 270.0 | 36.11 | 24.07 | 16.85 | 11.63 | 8.83 | 6.02 | 3.61 | 2.01 | 0.80 |
| 275.0 | 34.90 | 24.07 | 16.85 | 11.63 | 8.83 | 6.02 | 3.61 | 2.01 | 0.80 |
| 280.0 | 34.50 | 24.07 | 16.85 | 11.63 | 8.43 | 6.02 | 3.61 | 2.01 | 0.80 |
| 285.0 | 34.90 | 24.47 | 16.85 | 11.63 | 8.43 | 6.02 | 3.61 | 2.01 | 0.80 |

光強數據表(cd)

| C/γ(°) | 45.0 | 50.0 | 55.0 | 60.0 | 65.0 | 70.0 | 75.0 | 80.0 | 85.0 |
|--------|-------|-------|-------|-------|------|------|------|------|------|
| 290.0 | 34.90 | 24.47 | 16.85 | 12.04 | 8.43 | 6.02 | 3.61 | 2.01 | 0.80 |
| 295.0 | 34.50 | 24.47 | 17.25 | 12.04 | 8.43 | 6.02 | 3.61 | 2.01 | 0.80 |
| 300.0 | 34.50 | 24.47 | 17.25 | 12.04 | 8.43 | 6.02 | 3.61 | 2.01 | 0.80 |
| 305.0 | 34.90 | 24.87 | 17.65 | 12.04 | 8.43 | 6.02 | 3.61 | 2.01 | 0.80 |
| 310.0 | 34.90 | 24.87 | 17.65 | 12.04 | 8.43 | 6.02 | 3.61 | 2.01 | 0.80 |
| 315.0 | 35.31 | 24.87 | 17.65 | 12.04 | 8.43 | 6.02 | 3.61 | 2.01 | 0.80 |
| 320.0 | 35.31 | 25.28 | 17.65 | 12.04 | 8.43 | 6.02 | 3.61 | 2.01 | 0.80 |
| 325.0 | 35.71 | 24.87 | 17.65 | 12.04 | 8.83 | 6.02 | 3.61 | 2.01 | 0.80 |
| 330.0 | 35.31 | 24.87 | 17.65 | 12.04 | 8.83 | 6.02 | 4.01 | 2.01 | 0.80 |
| 335.0 | 35.31 | 24.87 | 17.65 | 12.04 | 8.83 | 6.02 | 4.01 | 2.01 | 0.80 |
| 340.0 | 34.90 | 24.87 | 17.65 | 12.04 | 8.83 | 6.02 | 4.01 | 2.01 | 0.80 |
| 345.0 | 34.90 | 24.87 | 18.05 | 12.44 | 8.83 | 6.42 | 4.01 | 2.01 | 0.80 |
| 350.0 | 34.90 | 24.87 | 18.05 | 12.44 | 9.23 | 6.42 | 4.01 | 2.01 | 0.80 |
| 355.0 | 35.31 | 24.87 | 18.05 | 12.84 | 9.63 | 6.42 | 4.01 | 2.01 | 0.80 |
| 360.0 | 35.31 | 25.28 | 18.46 | 12.84 | 9.63 | 6.82 | 4.01 | 2.01 | 0.80 |

光強數據表(cd)

| C/γ(°) | 90.0 |
|--------|------|
| 0.0 | 0.00 |
| 5.0 | 0.00 |
| 10.0 | 0.00 |
| 15.0 | 0.00 |
| 20.0 | 0.00 |
| 25.0 | 0.00 |
| 30.0 | 0.00 |
| 35.0 | 0.00 |
| 40.0 | 0.00 |
| 45.0 | 0.00 |
| 50.0 | 0.00 |
| 55.0 | 0.00 |
| 60.0 | 0.00 |
| 65.0 | 0.00 |
| 70.0 | 0.00 |
| 75.0 | 0.00 |
| 80.0 | 0.00 |
| 85.0 | 0.00 |
| 90.0 | 0.00 |
| 95.0 | 0.00 |
| 100.0 | 0.00 |
| 105.0 | 0.00 |
| 110.0 | 0.00 |
| 115.0 | 0.00 |
| 120.0 | 0.00 |
| 125.0 | 0.00 |
| 130.0 | 0.00 |
| 135.0 | 0.00 |
| 140.0 | 0.00 |
| 145.0 | 0.00 |
| 150.0 | 0.00 |
| 155.0 | 0.00 |
| 160.0 | 0.00 |
| 165.0 | 0.40 |
| 170.0 | 0.40 |
| 175.0 | 0.40 |
| 180.0 | 0.40 |
| 185.0 | 0.40 |
| 190.0 | 0.40 |
| 195.0 | 0.40 |
| 200.0 | 0.40 |
| 205.0 | 0.40 |
| 210.0 | 0.40 |
| 215.0 | 0.40 |
| 220.0 | 0.40 |
| 225.0 | 0.40 |
| 230.0 | 0.40 |
| 235.0 | 0.40 |
| 240.0 | 0.40 |
| 245.0 | 0.40 |
| 250.0 | 0.40 |
| 255.0 | 0.40 |
| 260.0 | 0.40 |
| 265.0 | 0.00 |
| 270.0 | 0.00 |
| 275.0 | 0.00 |
| 280.0 | 0.00 |
| 285.0 | 0.00 |

光強數據表(cd)

| | |
|--------|------|
| C/γ(°) | 90.0 |
| 290.0 | 0.00 |
| 295.0 | 0.00 |
| 300.0 | 0.00 |
| 305.0 | 0.00 |
| 310.0 | 0.00 |
| 315.0 | 0.00 |
| 320.0 | 0.00 |
| 325.0 | 0.00 |
| 330.0 | 0.00 |
| 335.0 | 0.00 |
| 340.0 | 0.00 |
| 345.0 | 0.00 |
| 350.0 | 0.00 |
| 355.0 | 0.00 |
| 360.0 | 0.00 |